with the best with the grant of the first that the two that the first that

FIG.1




FIG.2




FIG.3

ITEMS	CONTENTS	
NUMBER OF	30	
X-COORDINAT	50	
Y-COORDINAT	55	
1ST CHIP	X-COORDINATE	12
	Y-COORDINATE	16
	CHIP IMAGE	BINARY DATA
2ND CHIP IMAGE	X-COORDINATE	30
	Y-COORDINATE	35
	CHIP IMAGE	BINARY DATA
•		E
*	\$	
30-TH CHIP IMAGE	X-COORDINATE	100
	Y-COORDINATE	90
	CHIP IMAGE	

FIG.4




FIG.5




FIG.6






FIG.7



8/26

FIG.8



14 court read grow girst to also give give to also the first to the first that th

FIG.9





FIG.10

CANDIDATE	COORDINATES		
POINT INDEX (j)	X-COORDINATE	Y-COORDINATE	CURVATURE
1	25	25	
2	30	32	-1.0
3	42	45	-0.8
4	50	50	-0.3
5	60	45	-0.9
6	70	40	-0.9
7	80	30	

FIG.11


INDEX (i) OF RETRIEVAL NUMBER	COORDINATES OF POINTS HAVING MAXIMUM CURVATURES		MAXIMUM
	X-COORDINATE	Y-COORDINATE	CURVATURES
1	50	50	-0.3
2	48	54	-0.3
3	45	48	-0.3
4	53	49	-0.2
5	40	40	-0.3
6	30	30	-0.3
7	48	· 54	-0.2
8	45	48	-0.3
9	53	49	-0.3
10	52	48	-0.8

FIG.12



The first first from the fact that the first first

FIG.13



The second secon

FIG.14




FIG.15




FIG.16




FIG.17

			1520
CLA	INS	D.	Le
CLASS CODE	COMMAND ID	PARAMETER OF COORDINATES	DATA LENGTH OF COORDINATES

FIG.18





FIG.19

CLA INS P Lc DATA FIELD

CLASS COMMAND PARAMETER DATA LENGTH PARTIAL IMAGE


FIG.20



the test from the test for the test of the test of the test for the test of th

A print was only the part of t

FIG.21



Por and con grow and the first portable of the second seco

FIG.22





FIG.23



ZUU1# 9月17日(月) 21:24

09/937004

FIG.24





FIG.25

INDEX	MISMATCHED BIT NUMBER	
0	0	
1	1	
2	1	
3	2	
4	1	
5	2	
•	•	
•	•	
•	•	
E	•	
253	7	
254	7	
255	8	

ZUU14 MH17H(H) Z1.Z5

FIG.26




The first from the first from

2700

FIG.27

				· ·
CLA	INS	Р	Lc	DATA FIELD
CLASS	COMMAND	PARAMETER	DATA LENGTH	COORDINATES OF FEATURING POINT
				TEATURING POINT


FIG.28



The sense of the s

24/26


FIG.29



I grey well with the first first that the first that the first the first that the

ZUU1# 9月17日(月) 21:26

FIG.30



2720

26/26

FIG.31




FIG.32

DATA FIELD SW1 SW 2

COORDINATE OF STATUS QUALIFIER

FEATURING POINTS